Impression Steel COLLECTION®



Model 5800, Recessed panel, Black finish, Plain Window Long

MODEL 5800

New insulated steel door platform offers updated classic design with aesthetic versatility.

- Three sections for 7' doors provide large steel embossments for a dramatic appearance
- Foamed-in-place, polyurethane insulation • sandwiched between two layers of corrosion-resistant steel with a U-factor¹ to f 0.15 and an R-value² of 12




Overhead Door™ Brand participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal

performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.

Performance Verification Program.

- Oversized windows provide maximum natural light into the garage - one of the largest garage door windows on the market!
- Choose from 8 finish options





2 - Overhead Door Corporation uses a calculated door section R-value for our insulated doors

The Genuine. The Original.




Impression Steel COLLECTION® Door Designs

Select your Door Panel Style and Color



Recessed (RP)



Vertical Recessed (VRP)		





Choose a Color

Standard finishes









Brown

Actual door colors may vary from brochure photos due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching before ordering your door.

White

Gray

Premium finishes





Almond

Desert Tan





Black



Impression Steel COLLECTION® Decorative Accents

Customize your Door with Windows and Decorative Hardware

Choose a Window Style



Plain Window Long



Stockton (8-Pane)

Somerton (6-Pane)

Stockbridge (3-Pane)



Plain Window Arched



Somerton (8-Pane)



Stockbridge (4-Pane)





Wyndbridge (3-Pane)

Wyndbridge (4-Pane)

Window size and shape may vary slightly based on door size. Option of single or double arch for double car doors. All window styles are made using a single piece of glass with dividers.

Choose a Glass Type

Available in insulated and non-insulated glass.













Clear

Obscure

Satin Etched

Gray Tint

Green Tint

Bronze Tint

Actual glass samples may vary from brochure photos due to fluctuations in the printing process. You can request a glass sample from your Overhead Door™ Distributor.





Choose an Opener



Be sure to ask about our complete line of Overhead Door® garage door openers. Powerful, quiet and durable, these garage door openers are designed for performance, safety and convenience. Your Overhead Door™ Distributor will help you choose the opener that best suits your door and preferences.

Transform Your Home with the DoorView® Visualization Tool.

Go to **overheaddoor.com** to try our online interactive software tool that lets you visualize what your home would look like with a new Overhead Door[™] garage door. Contact your local Overhead Door[™] Distributor for more information and to receive a quote.



F in 🕒 🞯 🖗



AFTER

Model 5800, Recessed panel, Sandstone finish, Plain Window Long

The Genuine. The Original.

Since 1921, Overhead Door Corporation has not only raised the standards of excellence for the industry – we've created them. We created the first sectional garage door in 1921 and the first electric garage door opener in 1926.

Today, our network of over 400 Overhead Door[™] Distributors are still leading the way with innovative solutions and unmatched installation, service and support. So look for the Red Ribbon. It's your guarantee that you're getting the genuine, the original Overhead Door[™] products and services.

SOLD AND DISTRIBUTED BY:

Overhead Door Company of Southern California™

12215 Kirkham Road Suite 200, Poway, CA 92064 (858) 264-3650 The Genuine. The Original.



2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067 1-800-929-DOOR • sales@overheaddoor.com overheaddoor.com

©2025 Overhead Door Corporation. Overhead Door is a trademark and the Red Ribbon Logo and Impression Steel Collection are registered trademarks of Overhead Door Corporation. All other trademarks are the property of their rightful owners. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. R900-1087 01/25