Thermacore® COLLECTION

Premium insulated garage doors deliver maximum thermal efficiency and design flexibility.

The Genuine. The Original.



BUILT BETTER FROM THE INSIDE OUT

Thermacore® Collection steel garage doors feature premium insulation construction and design which provides maximum thermal efficiency and reduced air infiltration for your garage space. This durable line of garage doors gives you many years of reliable operation while providing comfort and beauty to your home, even in extreme climates.



Energy-Efficient Savings Help control costly heat loss and gain with our unique Thermacore® Construction: Foamed-in-place, CFC-free polyurethane insulation sandwiched between two layers of corrosion resistant steel helps.



Sleek and Durable
Enjoy a clean, finished
appearance inside your garage
with the trusted strength of
the hot-dipped galvanized steel
backing, complete with two coats
of baked-on polyester paint.



Climate Adaptive
Our innovative design helps
your garage door withstand the

your garage door withstand the elements with in-between section thermal seals that achieve an air infiltration rating as low as .08 cfm.



Superior Seal

The bottom bulb-type weatherseal guards your garage against wind and rain and provides a cushion when closing for added door and floor longevity.



SELECT YOUR DOOR

MODELS	5760	5740	5720	
U-factor¹ ₹	0.10	0.15	0.20	
R-value ²	17.5	12.76	9.31	
Door Thickness	2"	1.4"	1"	
Wind Load Option	✓	✓		
Panel Options	4	6	4	
Available Colors	9	21	4	
Warranty [†]	Limited Lifetime	Limited Lifetime	20-Year Limited	



📚 Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.

Superior Option

for Extreme Climates

Model 5760 is built to withstand the toughest conditions. With a 2" door thickness, superior wind load capabilities, and one of the best U-factor ratings in the industry, this garage door excels in extreme climates. Whether you're facing high winds or harsh winters, the Model 5760 ensures top-tier energy efficiency and hurricane-level protection, offering you peace of mind in even the most challenging environments.



Most Popular

for its Versatility

Model 5740 offers a wide range of styles, colors, and window options, making it easy to customize the look of your home. Ideal for homeowners who want to protect their property while adding a personal touch, this model delivers both functionality and aesthetic appeal.



Best Value

in the Thermacore® Collection

Model 5720 strikes the perfect balance of quality and affordability. Designed to be durable and long-lasting, this garage door enhances the appearance of your home while delivering exceptional value for years. It's the go-to choice for homeowners seeking a dependable solution without compromising on style.



Overhead DoorM Brand participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.

- 1 U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes
- 2 Overhead Door Corporation uses a calculated door section R-value for our insulated doors
- † See full text of warranty for details.





MODEL 5760: SUPERIOR OPTION FOR EXTREME CLIMATES



Model 5760 is expertly designed to deliver superior thermal performance and protection, making it the perfect solution for homeowners facing extreme weather conditions.

Advanced Insulation: Featuring 2" thick Thermacore® construction, this door includes foamed-in-place, CFC-free polyurethane insulation between two layers of corrosion-resistant steel, effectively minimizing heat loss and gain.

Enhanced Air Seals: The in-between section thermal seals achieve an air infiltration rating as low as 0.08 cfm, dramatically reducing drafts and preventing unwanted outdoor air from entering your garage.

Industry-Leading Energy Efficiency: With a third-party verified U-factor of 0.10, the Model 5760 provides top-tier thermal performance, helping homeowners save on energy bills while keeping their garage comfortable year-round.

Built for Tough Conditions: Approved for Florida Building Code (FBC), the Model 5760 offers wind-load options that meet stringent standards for wind resistance. Engineered to provide hurricane-level protection, it ensures your garage remains secure and durable in the most extreme weather.







Panels


Standard Panel Vertical Short Long Panel Flush Panel

Doors shown are 7' tall. The number of sections on 8' doors may vary.

Colors

Painted Finishes

Embossed wood grain adds beauty, sophistication and durability.



Artisan Wood Grain® Bi-directional Finishes

Stucco embossment creates an appealing pattern texture



Sandstone





Carbon Oak

Brown

Medium Oak

Black


MODEL 5740: MOST POPULAR FOR ITS VERSATILITY



Model 5740 is the ideal choice for homeowners who want a garage door that offers both style flexibility and exceptional performance. With an extensive range of panel designs and color options, this model allows you to choose the perfect door to match your home's architecture and curb appeal. Additionally, window options are available to add both natural light and beauty to your garage.

Model 5740 also introduces wind load options, making it an excellent choice for homeowners in areas subject to high winds or hurricane-force conditions. FBC (Florida Building Code) approval ensures that this door can withstand extreme weather events, providing added protection for your home and peace of mind during storm season.

Panels



Doors shown are 7' tall. The number of sections on 8' doors may vary.

Painted Finishes

Embossed wood grain adds beauty, sophistication and durability.





(Also available in smooth)

Modern Metallic Finishes


Creates a striking light effect.

White

Almond

Silver

Sandstone



Brown

Dark Bronze









Forest Green

Gray

Black

Black Frost

Artisan Wood Grain® Plank Finishes Stucco embossment creates an appealing pattern texture





Artisan Wood Grain® Bi-directional Finishes Stucco embossment creates an appealing pattern texture





Beachwood Plank

Cedar Plank

Western Cedar Medium Oak







Carbon Oak Plank

Medium Oak Plank

Carbon Oak





Black Plank

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Distributor for accurate color matching before ordering your door.

MODEL 5720: BEST VALUE IN THE THERMACORE® COLLECTION



Thermacore® Construction: Superior Insulation for Year-Round Comfort

Model 5720 offers the perfect balance of quality, affordability, and performance. Designed to meet the needs of homeowners looking for a durable, energy-efficient solution, this door delivers exceptional value without compromising on quality or style. Whether you're upgrading your garage door or building a new home, Model 5720 sets the standard to complement your home's exterior while providing lasting benefits for years to come.


Model 5720 features Thermacore® Construction, a cutting-edge design that incorporates foamed-in-place, CFC-free polyurethane insulation between two layers of corrosion-resistant steel. This advanced insulation technology is specifically engineered to help control costly heat loss and gain, improving the energy efficiency of your garage and reducing heating and cooling costs. The added insulation also contributes to a quieter garage, reducing noise from outside and from the door's operation.

To further enhance performance, Model 5720 is equipped with a bulb-type bottom weatherseal that effectively guards against wind, rain, and debris. This seal not only helps keep your garage protected from the elements but also provides a cushion when the door closes, reducing wear and tear on both the door and the floor. This added protection helps extend the lifespan of your door, ensuring it stays functional and attractive for many years.







Standard Panel




Vertical Short



Long Panel



Flush Panel



Doors shown are 7' tall. The number of sections on 8' doors may vary.

Colors

Painted Finishes

Embossed wood grain adds beauty, sophistication and durability.



White



Almond



Desert Tan Sandstone

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Distributor for accurate color matching before ordering your door.

WINDOWS

Window Styles

Available on Standard, Flush and Vertical Short Panels



Clear Short*



Cathedral 1



Ruston 1



Sherwood 1



Winston 1



Ashton 1



Madison 1



Stockford 1



Waterton 1



Cascade 1

Prairie 1*

Stockton 1*

Cathedral 2

Ruston 2

Stockbridge 2 (3-Lite)*

Stockton 2 (4-Lite)*

Stockton 2 (8-Lite Arch)

Williamsburg 2

Williamsburg 1 (8pc)

Available on Long, Flush, Vertical Long and Vertical Short Panels



Clear Long*



Cascade 2



Sherwood 2



Stockford 2



Stockton 2 (6-Lite)*



Stockton 2 (12-Lite)



Wyndbridge 2



Ashton 2



Prairie 2*



Somerton 2



Stockbridge 2 (4-Lite)*



Stockton 2 (8-Lite)*



Waterton 2



Williamsburg 2 (4 pc)

^{*} Artisan Wood Grain® Bi-directional Finishes available with these windows only

WINDOWS

Window Styles

Carriage Style Window Trim. Available on Model 5740, Standard and Flush Panels Only.



Stockbridge





Stockton



Wyndbridge Arch



Stockton Arch

Available on Modern Metallic Finishes and Artisan Wood Grain® Plank Finishes only.




Narrow

Modern Metallic Finishes available with Clear Short, Clear Long, Narrow, and Double Narrow windows only.

Optional Window Placement

Vertical Window Option

(Left or right)



Flush panel, Clear Long Windows

All Window Option

(Flush panel only)

Double Narrow



Flush panel, Clear Long windows

Vertical or Horizontal Option

(Left or right)



Microgroove panel, Double Narrow windows

Windows may be arranged vertically or horizontally on the Models 5740 and 5760. Windows must be Clear Short, Clear Long or Narrow. Windows placed in the bottom section of a door must have DSB 1/8", tempered, or 1/2" insulated glass.

Choose a Glass Type

All windows come standard with double strength glass. In addition, the Thermacore® Collection offers an array of choices, including:



Clear



Gray Tint



Obscure



Green Tint



Satin Etched




Bronze Tint

Actual glass may vary from brochure photos due to fluctuations in the printing process. Check with your Overhead Door™ Distributor to view a glass sample.

HARDWARE & OPENERS

Decorative Hardware



Openers

Complete your makeover by upgrading your garage door opener, remotes, keypad, and other accessories with Overhead Door™ Brand to keep your space safe, secure, and comfortable. Your Overhead Door™ Distributor will help you choose the opener that best suits your door and preferences.





For maximum convenience, our wi-fi enabled openers are equipped with the OHD Anywhere® system that allows you to control and monitor your garage door from your smart device.





California Residents:

As required by California State Law SB-969, all newly installed openers must have battery backup as of 07/01/2019.

Be sure to ask about our complete line of Overhead Door® garage door openers. Powerful, quiet and durable, these garage door openers are designed for performance, safety and convenience. Your Overhead Door™ Distributor will help you choose the opener that best suits your door and preferences.

QUICK REFERENCE GUIDE


		Superior Option for Extreme Climates		Most Popular for its Versatility			Best Value in Thermacore® Line
		5760		5740			5720
		Standard Vertical Short Long	Flush	Standard Vertical Short Vertical Long Long	Flush	Microgroove	Standard Vertical Short Long Flush
Painted Finishes on Wood Grain Embossment	White	•	•	•	•		•
	Almond	•	•	•	•		•
	Desert Tan	•	•	•	•		•
	Sandstone	•	•	•	•		•
	Terra Bronze			•	•		
	Brown	•	•	•	•		
	Forest Green			•	•		
	Gray			•	•		
	Black	•	•	•	•		
Modem Metallic Finishes on Smooth or Microgroove Embossment	Silver				•	•	
	Dark Bronze				•	•	
	Black Frost				•	•	
Artisan Wood Grain® Finishes on Stucco Embossment	Beachwood Plank				•		
	Cedar Plank				•		
	Medium Oak Plank				•		
	Carbon Oak Plank				•		
	Black Plank				•		
Artisan Wood Grain® on Stucco Embossment	Western Cedar	•		•	•		
	Carbon Oak	•		•			
	Medium Oak	•		•			



It's Time for a Dream Makeover

Let us help you create the perfect look for your home with **DoorDreamer™**, a visualizer tool to get you started on making that dream a reality!





The Genuine. The Original.

Since 1921, Overhead Door™ Brand has not only raised the standards of excellence for the garage door industry – we've created them. We pioneered the first sectional garage door and the first electric garage door opener, setting the bar for innovation and quality. Today, with a network of over 400 trusted Distributors, we continue to lead the way with cutting-edge solutions and unmatched service. When you choose Overhead Door™ Brand, you're choosing over 100 years of expertise, legacy, and trust.

SOLD AND DISTRIBUTED BY:

Overhead Door Company of Southern California™

The Genuine. The Original.









(858) 264-3650



1-800-929-DOOR | sales@overheaddoor.com | overheaddoor.com

2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067